

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicants : Daisuke SHOJI et al.

Group Art Unit: 1796

Appln. No. : 10/599,435  
(U.S. National Phase of PCT/JP2005/005271)

Examiner: Chung-Cheng WANG

I.A Filed : March 23, 2005

Confirmation No.: 8794

For : METHOD FOR CONTROLLING AVERAGE PORE DIAMETER OF POROUS  
BODY COMPRISING APATITE/COLLAGEN COMPOSITE FIBERS

**REQUEST FOR EXTENSION OF TIME**


Commissioner for Patents  
U.S. Patent and Trademark Office  
Customer Service Window, Mail Stop AMENDMENT  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

Please extend the time for response to the Final Official Action dated June 10, 2010 by two months, from September 10, 2010, to and including November 10, 2010. The fee for a two-month extension of time is being paid concurrently herewith.

The U.S. Patent and Trademark Office is hereby authorized to credit any overpayment or charge any additional fee to Deposit Account No.19-0089.

Respectfully Submitted,  
Daisuke SHOJI et al.

  
Bruce H. Bernstein  
Reg. No. 29,027

November 10, 2010  
GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

**Stephen M. Roylance**  
**Reg. No. 31,296**